

Contents:

- Buying advice
 - Buying an MGB
 - Buying a V8
 - The Joys of MG Ownership
 - The Trials and Tribulations of MG Ownership
 - All by Touch
- Body and Structure
 - Aerial in Front Wing
 - Radio
 - Arm-rest Cubby
 - Bonnet/Hood
 - Release
 - Strut
 - Seals
 - V8 Bonnet
 - Boot/Hatch
 - Boot strut
 - GT tailgate supports
 - Unable to open
 - Emergency release
 - Alignment
 - Boot and Hatch Seals
 - Bumpers
 - Chrome
 - Rubber
 - Carpet
 - Clocks
 - Dimensions
 - Doors
 - The 'Crack of Doom'
 - Drain Holes
 - Hanging and Adjustment
 - Key lock
 - Latch
 - Door Pulls
 - Door Cards
 - Drinks Bottle Holder
 - Drop-glass and Regulator
 - Front Wheelarch Liners
 - GT C-post Liners
 - GT Headlining
 - GT Load-space
 - Accessing the spare wheel and tool area
 - Luggage cover
 - GT Rear Windows
 - GT Tailgate Props

- Hardtop
- Headlamp Mounting
- Headlamp Ring Removal
- How Many?
- How Strong is my Body?
- Instruments
- Identification Numbers
 - Body Numbers
 - Chassis Numbers
 - Commission Numbers
 - Replacement ID Plates
 - Australian CKD MGBs
- Jack Support
- Mud Flaps
- Paint Colours
- Passenger Foot Brace
- Quarter-lights
 - Removal/refitting
 - Adjustment
 - Glass
 - Repair and Restoration
- Quarter-panel Replacement
- Radio
 - Speakers
- Roadster Hood/Top
 - Folding the hood/top
 - Replacing the hood/top
 - Hood/top fittings
- Rubber Bumper Radiator Grille
- Screens
 - GT Screens - pro advice
 - GT Screens - DIY experience
 - Roadster Screen
- Seats
 - Seat Removal & Refitting
 - Slats & Spacers
 - Mounting Points
 - Seat Rails
 - Head Restraints
 - Seat Foams and Covers
 - Seat Webbing/Diaphragm
- Seat Belts
 - Mounting points
 - Adjustment
 - Belt guides
 - GT rear belts
 - Seat-belt warning system
 - Did the MGB ever have air-bags?

- [Side Trim](#)
- [Sill Construction and Drainage](#)
- [Tax Discs](#)
- [Tonneau Cover](#)
 - [Tonneau Bars](#)
- [Vehicle Heights](#)
- [Vehicle Weights](#)
- [Washing & Polishing](#)
- [Wind-down Windows](#)
 - [Removal and refitting](#)
 - [Adjustment](#)
 - [Stiff to wind](#)
- [Windstop](#)
 - [Observations on a commercially available product](#)
- [Wing/Door Mirrors](#)
- [Links](#)
- [Brakes](#)
 - [ABS Simply Explained](#)
 - [Bleeding](#)
 - [EeziBleed](#)
 - [Brake Balance and Handbrake Warning](#)
 - [Brake Hoses](#)
 - [Brake Lights](#)
 - [Schematic](#)
 - [Switches](#)
 - [Relay](#)
 - [Brake Pads](#)
 - [Retaining springs](#)
 - [V8 pads](#)
 - [Brake Pipe Change](#)
 - [Brake Squeal](#)
 - [Calipers & Discs](#)
 - [When exercising and polishing the pistons solved a problem](#)
 - [And when it didn't](#)
 - [Dual-line Plumbing](#)
 - [E-clip Fitting Tool](#)
 - [Fluid](#)
 - [Fluid Loss](#)
 - [Handbrake](#)
 - [Cable](#)
 - [Levers](#)
 - [Lever Boots](#)
 - [Springs](#)
 - [Master Cylinders](#)
 - [Types](#)
 - [Residual Pressure or Restrictor Valve](#)
 - [Problems](#)
 - [Repair Kits](#)

- [Fluid Level Monitor](#)
- [MOT Test](#)
- [Pedal Box](#)
- [Rear Cylinders](#)
 - [E-clip Fitting](#)
- [Rear Shoes](#)
- [Residual Pressure or Non-return Valves](#)
- [Servo/Booster](#)
- [Links](#)
- [Clutch](#)
 - [Bleeding](#)
 - [Bore Sizes](#)
 - [Clevis Pin Wear](#)
 - [Clutch Change](#)
 - [Flex-Hose](#)
 - [Fluid](#)
 - [How It Works](#)
 - [Master Cylinder](#)
 - [Types](#)
 - [Bore Sizes](#)
 - [Repair Kits](#)
 - [Seal Replacement](#)
 - [Bleeding](#)
 - [Pedal Box](#)
 - [Pedal Return Spring](#)
 - [Release Bearing](#)
 - [Release Arm Gaiter](#)
 - [Slave Cylinder](#)
 - [General Description](#)
 - [Bore Sizes](#)
 - [Replacement](#)
 - [Links](#)
- [Cooling System](#)
 - [Coolant](#)
 - [Drain and Refill](#)
 - [Electric Fans](#)
 - [Fan fusing](#)
 - [V8 fan cycling](#)
 - [Take the fan load off the battery when cranking](#)
 - [Fan Belt](#)
 - [Adjustment](#)
 - [Size Considerations](#)
 - [Hoses](#)
 - [V8 Bottom Hose](#)
 - [V8 Top Hose](#)
 - [Mechanical Fans](#)
 - [Pumps](#)
 - [Pump change](#)

- [Radiator](#)
- [Radiator Cap](#)
 - [General description](#)
 - [Is it holding the correct pressure?](#)
- [Radiator Diaphragm Seals](#)
- [Rubber Bumpers](#)
- [Temp Gauge](#)
 - [Temp gauge oscillation](#)
 - [Electric temperature gauge](#)
- [Temp Gauge Oscillation](#)
- [Thermostats](#)
 - [Replacement](#)
- [V8 Water Pump](#)
- [Links](#)
- [Electrics](#)
 - [Ammeters and Voltmeters](#)
 - [Alternator/Dynamo](#)
 - [Schematics](#)
 - [Types](#)
 - [Alternatives](#)
 - [Repolarising a Dynamo](#)
 - [Charging System Basics](#)
 - [Ignition Warning Light and Charging Theory](#)
 - [Dynamo Control Box](#)
 - [Testing Output](#)
 - [Fault Diagnosis](#)
 - [Alternator Brush Replacement](#)
 - [Alternator Harness Plug Clip](#)
 - [Converting Dynamo to Alternator](#)
 - [Converting 16AC Alternator with separate regulator to later alternator with integral regulator](#)
 - ['One wire' Alternators](#)
 - [Fan/drive belts](#)
 - [Anti Run-on Valve](#)
 - [Batteries and Chargers](#)
 - **Safety First!**
 - [What Polarity is my Car!?](#)
 - [Which Terminal is Which?](#)
 - [Twin-6v Link Cable](#)
 - [Battery Cover](#)
 - [Replacement Batteries](#)
 - [Battery Drain](#)
 - [Cut-off Switch](#)
 - [Battery Types - Lead Acid, Gel, Advanced Glass Mat etc.](#)
 - [Do I need plastic battery bins?](#)
 - [Fused Battery Terminal](#)
 - [Battery Chargers](#)
 - [Jump-Starting](#)

- [Battery Cut-off Switch](#)
- [Brake Balance and Handbrake Warning](#)
- [Bulbs](#)
- [Clocks](#)
- [Connectors and Terminals](#)
 - [Sealed Wiring Junctions](#)
 - [Earth/ground Connections](#)
- [Cooling Fans](#)
 - [Fan fusing](#)
 - [V8 fan cycling](#)
 - [Take the fan load off the battery when cranking](#)
- [Fan Belt](#)
 - [Adjustment](#)
 - [Size Considerations](#)
- [Fuel Pumps](#)
 - [Types](#)
 - [Points Quenching](#)
 - [Mounting](#)
 - [Venting](#)
 - [Fusing](#)
 - [Hoses](#)
 - [Testing, Diagnosis and Adjustment](#)
 - [Union Leaks](#)
 - [Pump Refurb](#)
- [Fuses and Fusebox](#)
 - [Fusebox](#)
 - [Fusebox Connections](#)
 - [Fusebox Mounting](#)
 - [Fusebox Replacement](#)
 - [Fuses](#)
 - [Blowing Fuses](#)
 - [Fused Battery Connector](#)
- [Hazard Flashers](#)
 - [Fault diagnosis](#)
 - [Indicator Flasher Replacement](#)
 - [LED flashers](#)
 - [Adding hazards to earlier cars](#)
 - [A louder audible warning](#)
 - [The indicator/turn switch](#)
- [Heated Rear Window](#)
 - [Testing](#)
 - [Adding a Relay](#)
 - [Repair](#)
 - [Replacement](#)
- [Heater Fan](#)
- [Horns](#)
 - [Description](#)
 - [Wheel-centre Horn Push](#)

- [Mounting](#)
- [Fault Diagnosis](#)
- [Repair](#)
- [Adding a Relay](#)
- [Ignition Switch](#)
 - [Ignition/Steering Lock](#)
 - [North American 'Key in' Warning](#)
 - [Ignition Keys](#)
- [Ignition System](#)
- [Ignition Warning Light](#)
- [Indicators/Turn Signals](#)
 - [Fault diagnosis](#)
 - [Indicator Flasher Replacement](#)
 - [LED flashers](#)
 - [Adding hazards to earlier cars](#)
 - [A louder audible warning](#)
 - [The indicator/turn switch](#)
- [Instruments](#)
- [Lighting](#)
 - [Main lights](#)
 - [Upated Headlamps](#)
 - [LED park/stop/tail lights](#)
 - [Dip-switch](#)
 - [Headlamp Flasher](#)
 - [Headlamp Adjustment](#)
 - [Headlamp Mounting](#)
 - [Number Plate Lights](#)
 - [Brake Lights](#)
 - [Indicators/Turn Signals](#)
 - [Instrument Lighting](#)
 - [Ignition Warning Light](#)
 - [Map/Interior Lights](#)
 - [Roadster boot/GT loadspace lights](#)
 - [Reversing Lights](#)
 - [Hazard Flashers](#)
 - [Side-marker Lights \(North America\)](#)
 - [Fog & Spot lights](#)
 - [Bulbs](#)
 - ['Lights on' warning buzzer](#)
 - [Switch Illumination](#)
 - [Daytime Running Lights \(DRLs\)](#)
- [North American 'Key in' Warning](#)
- [Overdrive](#)
 - [Schematics](#)
 - [Diagnostics - D-Type](#)
 - [Diagnostics - LH-Type](#)
 - [Overdrive fusing](#)
- [Polarity](#)

- [What polarity is my car!?](#)
- [Which battery terminal is which?](#)
- [Polarity Conversion](#)
- [Dynamo polarity](#)
- [Coil polarity](#)
- [Tachometer polarity](#)
- [Fuel pump polarity](#)
- [Heater fan motor polarity](#)
- [Instrument stabiliser polarity](#)
- [Radio](#)
 - [Speakers](#)
- [Relays](#)
 - [Plug-in Relays](#)
- [Schematics](#)
 - [Brake Balance and Handbrake Warning](#)
 - [Dynamo and Alternator](#)
 - [Electric Cooling Fans](#)
 - [Gauges](#)
 - [Fuel Pumps](#)
 - [Hazard Warning](#)
 - [Heated Rear Window](#)
 - [Heater Fans](#)
 - [Horns](#)
 - [Ignition](#)
 - [Ignition Switch Connections](#)
 - [Indicator/Turn Signals](#)
 - [Lighting](#)
 - [North American anti-runon valve](#)
 - [North American 'Key in' Warning](#)
 - [Overdrive](#)
 - [Seat Belt Warning](#)
 - [Starter](#)
 - [Washers](#)
 - [Wipers](#)
- [Seat Belt Warning](#)
- [Sealed Wiring Junctions](#)
- [Starter](#)
 - ['brake test' diode having gone short-circuit](#)
- [Steering Lock](#)
- [Switches in General](#)
- [Tachometer](#)
 - [Schematics](#)
 - [Description](#)
 - [Problems](#)
 - [Testing](#)
 - [Internal and external seals](#)
- [Washers](#)
- [Wipers](#)

- [Schematics](#)
 - [One speed or two?](#)
 - [Switches](#)
 - [Flick-wipe](#)
 - [Parking Systems](#)
 - [Problems](#)
 - [Intermittent Enhancement](#)
 - [Which side do you park?](#)
- [Wire Colours, Terminal Numbering](#)
 - [Wire Colours](#)
 - [Terminal Numbering](#)
- [Wiring Harness Replacement](#)
- [Won't Start](#)
 - ['brake test' diode having gone short-circuit](#)
- [Won't Switch Off!](#)
- [Links](#)
- [Electrics](#)
 - [Ammeters and Voltmeters](#)
 - [Alternator/Dynamo](#)
 - [Schematics](#)
 - [Types](#)
 - [Alternatives](#)
 - [Repolarising a Dynamo](#)
 - [Charging System Basics](#)
 - [Ignition Warning Light and Charging Theory](#)
 - [Dynamo Control Box](#)
 - [Testing Output](#)
 - [Fault Diagnosis](#)
 - [Alternator Brush Replacement](#)
 - [Alternator Harness Plug Clip](#)
 - [Converting Dynamo to Alternator](#)
 - [Converting 16AC Alternator with separate regulator to later alternator with integral regulator](#)
 - ['One wire' Alternators](#)
 - [Fan/drive belts](#)
 - [Anti Run-on Valve](#)
 - [Batteries and Chargers](#)
 - **Safety First!**
 - [What Polarity is my Car!?](#)
 - [Which Terminal is Which?](#)
 - [Twin-6v Link Cable](#)
 - [Battery Cover](#)
 - [Replacement Batteries](#)
 - [Battery Drain](#)
 - [Cut-off Switch](#)
 - [Battery Types - Lead Acid, Gel, Advanced Glass Mat etc.](#)
 - [Do I need plastic battery bins?](#)
 - [Fused Battery Terminal](#)

- [Battery Chargers](#)
 - [Jump-Starting](#)
- [Battery Cut-off Switch](#)
- [Brake Balance and Handbrake Warning](#)
- [Bulbs](#)
- [Clocks](#)
- [Connectors and Terminals](#)
 - [Sealed Wiring Junctions](#)
 - [Earth/ground Connections](#)
- [Cooling Fans](#)
 - [Fan fusing](#)
 - [V8 fan cycling](#)
 - [Take the fan load off the battery when cranking](#)
- [Fan Belt](#)
 - [Adjustment](#)
 - [Size Considerations](#)
- [Fuel Pumps](#)
 - [Types](#)
 - [Points Quenching](#)
 - [Mounting](#)
 - [Venting](#)
 - [Fusing](#)
 - [Hoses](#)
 - [Testing, Diagnosis and Adjustment](#)
 - [Union Leaks](#)
 - [Pump Refurb](#)
- [Fuses and Fusebox](#)
 - [Fusebox](#)
 - [Fusebox Connections](#)
 - [Fusebox Mounting](#)
 - [Fusebox Replacement](#)
 - [Fuses](#)
 - [Blowing Fuses](#)
 - [Fused Battery Connector](#)
- [Hazard Flashers](#)
 - [Fault diagnosis](#)
 - [Indicator Flasher Replacement](#)
 - [LED flashers](#)
 - [Adding hazards to earlier cars](#)
 - [A louder audible warning](#)
 - [The indicator/turn switch](#)
- [Heated Rear Window](#)
 - [Testing](#)
 - [Adding a Relay](#)
 - [Repair](#)
 - [Replacement](#)
- [Heater Fan](#)
- [Horns](#)

- [Description](#)
- [Wheel-centre Horn Push](#)
- [Mounting](#)
- [Fault Diagnosis](#)
- [Repair](#)
- [Adding a Relay](#)
- [Ignition Switch](#)
 - [Ignition/Steering Lock](#)
 - [North American 'Key in' Warning](#)
 - [Ignition Keys](#)
- [Ignition System](#)
- [Ignition Warning Light](#)
- [Indicators/Turn Signals](#)
 - [Fault diagnosis](#)
 - [Indicator Flasher Replacement](#)
 - [LED flashers](#)
 - [Adding hazards to earlier cars](#)
 - [A louder audible warning](#)
 - [The indicator/turn switch](#)
- [Instruments](#)
- [Lighting](#)
 - [Main lights](#)
 - [Up-rated Headlamps](#)
 - [LED park/stop/tail lights](#)
 - [Dip-switch](#)
 - [Headlamp Flasher](#)
 - [Headlamp Adjustment](#)
 - [Headlamp Mounting](#)
 - [Number Plate Lights](#)
 - [Brake Lights](#)
 - [Indicators/Turn Signals](#)
 - [Instrument Lighting](#)
 - [Ignition Warning Light](#)
 - [Map/Interior Lights](#)
 - [Roadster boot/GT loadspace lights](#)
 - [Reversing Lights](#)
 - [Hazard Flashers](#)
 - [Side-marker Lights \(North America\)](#)
 - [Fog & Spot lights](#)
 - [Bulbs](#)
 - ['Lights on' warning buzzer](#)
 - [Switch Illumination](#)
 - [Daytime Running Lights \(DRLs\)](#)
- [North American 'Key in' Warning](#)
- [Overdrive](#)
 - [Schematics](#)
 - [Diagnostics - D-Type](#)
 - [Diagnostics - LH-Type](#)

- [Overdrive fusing](#)
- [Polarity](#)
 - [What polarity is my car!?](#)
 - [Which battery terminal is which?](#)
 - [Polarity Conversion](#)
 - [Dynamo polarity](#)
 - [Coil polarity](#)
 - [Tachometer polarity](#)
 - [Fuel pump polarity](#)
 - [Heater fan motor polarity](#)
 - [Instrument stabiliser polarity](#)
- [Radio](#)
 - [Speakers](#)
- [Relays](#)
 - [Plug-in Relays](#)
- [Schematics](#)
 - [Brake Balance and Handbrake Warning](#)
 - [Dynamo and Alternator](#)
 - [Electric Cooling Fans](#)
 - [Gauges](#)
 - [Fuel Pumps](#)
 - [Hazard Warning](#)
 - [Heated Rear Window](#)
 - [Heater Fans](#)
 - [Horns](#)
 - [Ignition](#)
 - [Ignition Switch Connections](#)
 - [Indicator/Turn Signals](#)
 - [Lighting](#)
 - [North American anti-runon valve](#)
 - [North American 'Key in' Warning](#)
 - [Overdrive](#)
 - [Seat Belt Warning](#)
 - [Starter](#)
 - [Washers](#)
 - [Wipers](#)
- [Seat Belt Warning](#)
- [Sealed Wiring Junctions](#)
- [Starter](#)
 - ['brake test' diode having gone short-circuit](#)
- [Steering Lock](#)
- [Switches in General](#)
- [Tachometer](#)
 - [Schematics](#)
 - [Description](#)
 - [Problems](#)
 - [Testing](#)
 - [Internal and external seals](#)

- Washers
- Wipers
 - Schematics
 - One speed or two?
 - Switches
 - Flick-wipe
 - Parking Systems
 - Problems
 - Intermittent Enhancement
 - Which side do you park?
- Wire Colours, Terminal Numbering
 - Wire Colours
 - Terminal Numbering
- Wiring Harness Replacement
- Won't Start
 - 'brake test' diode having gone short-circuit
- Won't Switch Off!
- Links
- Engine
 - Compression Testing
 - Crankcase Breathing
 - Description
 - Problems
 - Tappet Chest Covers
 - Modifications
 - Dating the Engine
 - Dating the block
 - Dating the head
 - Dipstick! (and sumps)
 - Sump gaskets
 - Engine Mounts
 - Chrome bumper
 - Rubber bumper and V8
 - Exhaust Clamps
 - V8
 - Rear, all models
 - Engine Number Tag
 - Fault Diagnosis
 - Cutting-out
 - Cranks but won't start
 - Gold Seal Engines
 - Head Gasket
 - Oil Cooler
 - Oil Filters
 - Filter not sealing
 - Filter types and quality
 - Oil Gauge
 - Electric oil gauge

- Oil Hoses
- Oil Pressure Relief Valve
- Oil Pressure Warning Light
- Oils and ZDDP
- Oil Thrower
- Power Torque and Consumption Curves
- Rocker Cover
- Running-on
- Spark Plugs
 - Spark plugs for MGBs
 - V8 Heads
 - Spark plug gap
 - Spark plug coding
 - Spark plug condition
 - Stripped threads!
 - And subsequent thread repair
- Tappet Chest Covers
 - Types, gaskets and seals
 - Oil burning via the breather
 - Gasket replacement
- Timing Marks
- V8 Bearings
- V8 Cylinder Heads
- V8 Exhaust Manifolds
- V8 Hot Tapping
 - In 2002 I had a cooling system problem which was pushing water out of the overflow
- V8 Inlet Manifold
- V8 Oil Flow
- V8 Oil Pump
- V8 Pistons
- V8 Starter
- V8 Front Cover
- V8 Topend Rebuild
- Vacuum Gauge
- Valve Clearances
- Valve Timing
 - Cam/crank alignment
 - Measuring valve timing
 - Timing cover bolts
- Water Pump
 - Pump change
- Won't Start
 - 'brake test' diode having gone short-circuit
- Won't Switch Off!
- Links
- Fuel System
 - Air Cleaners

- Choke Control
- Emissions Limits (UK)
- Ethanol
 - The current situation
 - Theoretical problems
 - Hot start problems?
 - Who supplies what?
 - History
 - Fuel hose
- Fuel Filter
- Fuel Gauge
 - Early vs late systems
 - Fault diagnosis
 - Tank sender
 - Voltage stabiliser
 - Calibration
 - Gauge identification
 - Internal and external seals
- Fuel Hose
 - Hose replacement
- Fuel Pumps
 - Types
 - Points Quenching
 - Mounting
 - Venting
 - Fusing
 - Hoses
 - Testing, Diagnosis and Adjustment
 - Union Leaks
 - Pump Refurb
- North American Emissions Plumbing
- Octane Ratings
- Pump Fusing
- Running-on
- SU Carbs
 - Theory
 - Ports
 - Flange Gaskets
 - V8 - which carb feeds which cylinder?
 - Floats and Valves
 - Dampers
 - Piston Balls
 - Return Springs, cables and linkages
 - Hoses
 - Jet Height
 - Vacuum Port
 - Setting-up
 - Reconditioning

- Plug Colour
- SU Needles
- Tank
- Tank Sender
- Throttle Cable and Pedal
- Unleaded
- Vacuum Gauge
- Zenith Choke
- Links
- Gearbox
 - Auto Kickdown Cable
 - Breather
 - Drive Flange
 - Gear Lever
 - How It Works
 - Interlocking Arm Assembly
 - Internals
 - Lubricants
 - Mounts and Cross-member
 - Restraint Rods
 - Oil Change
 - Overdrive: D and LH Type Differences
 - Overdrive Electrics
 - Schematics
 - Diagnostics - D-Type
 - Diagnostics - LH-Type
 - Overdrive fusing
 - Overdrive Fusing
 - Overdrive 'Pulsing'
 - Overdrive Replacement
 - Overdrive Sequencer Relay
 - Overdrive: How many were there?
 - Rear Seal
 - Checking
 - Replacement
 - Reversing Light Switch
 - Speedometers
 - Repair
 - Gearbox drive gears
 - Cables and routing
 - EGR valve service indicator
 - Right-angle drives
 - Links
- Heater
 - Air Box
 - Air Direction Control
 - Cold Air Flap
 - Coolant Return Pipe

- [Dash Controls](#)
- [Fresh Air Vents](#)
- [Footwell Vents](#)
- [Heat Valve](#)
 - [Fitting and adjusting the cable](#)
 - [Removal and refitting/replacement](#)
- [Heater Removal](#)
- [Matrix](#)
- [Screen Vents](#)
- [Seals](#)
- [Motor and Fan](#)
- [Thermostat](#)
 - [Replacement](#)
- [Enhancements](#)
- [Temperature Relativity](#)
- [Links](#)
- [Ignition System](#)
 - [Centrifugal Advance](#)
 - [Condenser](#)
 - [Testing](#)
 - [Distributor](#)
 - [Types](#)
 - [Connections](#)
 - [Caps](#)
 - [Points](#)
 - [Condensers](#)
 - [Rotors](#)
 - [Vacuum Advance](#)
 - [O-rings](#)
 - [Drive Gear](#)
 - [Adjustments](#)
 - [Curves](#)
 - [Distributor Curves](#)
 - [Electronic Ignition](#)
 - [Schematics](#)
 - [Factory Systems](#)
 - [After-market Systems](#)
 - [Problems with After-market Systems and the earlier RVI Tach](#)
 - [Coil Current](#)
 - [Variable vs Fixed Dwell](#)
 - [Programmable](#)
 - [Fault Diagnosis](#)
 - [Cutting-out](#)
 - [Crank but won't start](#)
 - [Ignition Coil](#)
 - [Ignition Switch](#)
 - [Ignition/Steering Lock](#)
 - [North American 'Key in' Warning](#)

- [Ignition Keys](#)
- [Ignition Theory](#)
- [Ignition Timing](#)
- [Ignition Warning Light](#)
- [North American 'Key in' Warning](#)
- [Points Types](#)
 - [Points Gap/Dwell](#)
- [Rotors](#)
 - [Rotor Problems](#)
 - [Rotor Phasing](#)
- [Running-on](#)
- [Schematics](#)
- [Spark Plugs](#)
 - [Spark plugs for MGBs](#)
 - [V8 Heads](#)
 - [Spark plug gap](#)
 - [Spark plug coding](#)
 - [Spark plug condition](#)
 - [Stripped threads!](#)
 - [And subsequent thread repair](#)
- [Spark Plug Wires](#)
 - [An article by Les Bengtson](#)
- [Tachometer](#)
 - [Schematics](#)
 - [Description](#)
 - [Problems](#)
 - [Testing](#)
 - [Internal and external seals](#)
- [Timing Lights](#)
- [Timing Marks](#)
- [Vacuum Advance](#)
 - [General Description](#)
 - [Vacuum Source](#)
 - [Transmission Controlled Vacuum Advance \(TCSA\)](#)
 - [V8 Vacuum Module](#)
- [Vacuum Advance - Carb vs Manifold](#)
- [Vacuum Gauge](#)
- [Warning Light](#)
- [Won't Start](#)
 - ['brake test' diode having gone short-circuit](#)
- [Won't Switch Off!](#)
- [Links](#)
- [Propshaft](#)
 - [Be careful what you drive over](#)
 - [Grease Nipples](#)
 - [Length](#)
 - [Removal](#)
 - [discovered early on that it wasn't necessary](#)

- UJ Alignment
- Yoke Alignment
- Links
- Rear Axle
 - Alignment
 - Axle Length
 - Axle location
 - Axle Location
 - Banjo Axle Hub Nut
 - Bearings and Oilseals
 - Pinion oil seal
 - Breather
 - Bump Rubbers and Pedestals
 - Pedestals
 - Centre Lock Hubs
 - Self-Tightening? Or not?
 - Balancing
 - Lubrication
 - Spline Wear
 - Grease Caps
 - Converting to Wires from Rostyle/Disc
 - Converting to Wires from Rostyle/Disc
 - Differential
 - Handbrake Cable
 - Level/Drain Plugs
 - The ultimate solution?
 - Lubricants
 - Oil Change
 - Rebound Straps
 - Remove and Refit
 - Slave Cylinders and Backplates
 - E-clip Fitting
 - U-bolts
 - Links
- Steering and Suspension
 - A-arm Inner Bushes
 - Anti - roll Bars
 - Front bar issues
 - Rear bar issues
 - Column/Rack Alignment
 - Column Universal Joint
 - Converting to Wires from Rostyle/Disc
 - Dimensions
 - Front Hub Grease Caps
 - Stud wheel
 - Centre-Lock wheel
 - Front Wheel Bearings
 - End-float

- Replacement
 - Front Bump/rebound rubbers
 - Front Spring Replacement
 - Specifications
 - King - pins
 - Lubrication
 - Leaf Spring Lubrication
 - Lever-arm Dampers
 - Rack Gaiters
 - Rear Bump Rubbers and Pedestals
 - Pedestals
 - Rear Rebound Straps
 - Rear Springs
 - Mounting
 - Replacement
 - Specifications
 - Ride Height
 - Spring and rebound strap appearance with normal loads
 - Ride heights from around the world
 - Converting RB to CB
 - Extended shackles
 - Spring Specs
 - Steering Lock
 - Steering Column
 - Types
 - Indicator/turnswitch, Cancelling Striker and Cowl Positioning
 - Repair to a collapsible column
 - Column/Rack Alignment
 - Steering Wheels
 - Removal
 - Horn switch
 - Indicator/turn signal switch
 - Alignment
 - Track - rod Ends
 - Tracking Alignment
 - U - bolts
 - Vehicle Heights
 - Vehicle Weights
 - Wire Wheel Splines
 - Links
- Wheels and Tyres
 - Balancing
 - Stud-mounted e.g. Disc, Rostyle and V8 alloy
 - Centre-lock
 - Centre Lock Wheels and Hubs
 - Self-Tightening? Or not?
 - Balancing
 - Lubrication

- [Spline Wear](#)
 - [Grease Caps](#)
 - [Converting to Wires from Rostyle/Disc](#)
- [Converting to Wires from Rostyle/Disc](#)
- [Punctures](#)
- [Tracking Alignment](#)
- [Tyre Markings](#)
- [Tyre Pressures](#)
- [Tyre Sizes](#)
 - [Rolling Radius](#)
- [Tyre Valves](#)
- [Tyres - What to do with old ones ...](#)
- [V8 Wheels](#)
- [Wheel Nuts](#)
 - [Differences between 4-cylinder and V8](#)
 - [Stainless wheel nuts](#)
- [Wheel Sizes and Offsets](#)
- [Wire Wheels](#)
 - [Balancing](#)
 - [Spoke breakage/replacement](#)
 - [Cleaning](#)
 - [Dunlop vs Dayton](#)
 - [Do I have tubes?](#)
- [Links](#)
- [Miscellaneous](#)
 - [Full-length Ramps](#)
 - [MOT Preparation](#)
 - [Nut Screws Washers and Bolts](#)
 - [Torque Values](#)
 - [Translate between part numbers and description for many MGB fasteners](#)
 - [Speedos](#)
 - [Repair](#)
 - [Gearbox drive gears](#)
 - [Cables and routing](#)
 - [EGR valve service indicator](#)
 - [Right-angle drives](#)
 - [Terminology](#)
 - [Workshop Tools](#)
 - [What Year?](#)
 - [Links](#)
 - [Body](#)
 - [Brakes](#)
 - [Clutch](#)
 - [Cooling System](#)
 - [Electrics](#)
 - [Engine](#)
 - [Fuel](#)

- [Gearbox](#)
- [Heater](#)
- [Ignition](#)
- [Propshaft](#)
- [Rear Axle](#)
- [Steering and Suspension](#)
- [Wheels](#)
- [The sectioned MGB at the Heritage Motor Centre Museum, Gaydon](#)

© Copyright 1999 to 2018 I.T. Answers.
<http://www.mgb-stuff.org.uk/>